

2008

Fencing Guide



Solar energizer

Gallagher's S50 solar energizer produces 0.5 Joules capable of powering up to 30 acres, or five miles, of multi-wire fence. The self-contained design is portable, has a built-in carry handle and easily mounts on walls, wooden posts, T-posts or placed on the ground. A large rotary switch makes the S50 easy to operate and an LED flashes to show the unit is functioning correctly. An automatic night mode monitors light levels and lengthens the pulse rate to save power when animals become less active.

Circle Reply Card No. 101



Auger bucket

Danuser Industrial Group's auger bucket mixes, transports and dispenses concrete (up to 1-in. slump), sand, washed gravel (¾-in. max), asphalt, wildlife feed and agricultural grain. It features a ½-yard capacity of premix concrete and up to ¾-yard with an optional hopper extension. The auger can discharge a ½-yard in 50 seconds, and the quick-attach frame allows for right- or left-handed discharge.

Circle Reply Card No. 102

Fence tester

Eight Light Fence Tester model 3360, from Dare Products, accurately measures fence voltage up to 7,000 volts. It is designed for neat storage at an affordable price.

Circle Reply Card No. 103



Fence mender

Gripple Plus, from Gripple Inc., is designed to connect wires on all types of fence without the bending or twisting of wires. It splices, tightens and eliminates the need for crimps, ratchet strainers, come-alongs and stretchers.



Circle Reply Card No. 104



Wire winder mount

A new universal mount for wire winders from Pro-Tatch is applicable on most anything with hydraulics, including loader buckets, pickup boxes and other equipment.

Circle Reply Card No. 105



Post-driver trailers

Shaver Manufacturing introduces its TU series of trailers for mounting post drivers that allows operators to transport posts with the drivers. The unit's positioner turntable gives an operator better accuracy and control by tilting the driver forward and sideways, and swiveling it up to 155°. The standard TU-13 trailer features a self-contained, 13-hp Honda engine with electric start. The TU-13T unit hooks up to a tractor and is powered by the tractor's hydraulic system.

Circle Reply Card No. 106



Conductor

Measuring 4.5mm in diameter, IntelliRope PE 4.5 from Premier is black and white to provide extra visibility and is an excellent "starter" material for receiving paddocks. Its "super conductor" design allows electrical pulses to travel further while being less affected by vegetation on the fenceline.

Circle Reply Card No. 107



T-post insulator

Premier's Heavy Duty Offset T-Post Insulator features a pin-lock design that holds conductors 9 in. away from the post. The wrap-around base provides strength and support while the internal X design resists up, down and side-to-side strain.

Circle Reply Card No. 108



**MAN SAVER
POST DRIVER™**





www.rohrermfg.com

**Drive most any wood or metal post
on the market (up to 3.5" diameter).**

Starting at
\$450

**Safe & Easy One
Person Operation**

**Heavy Duty
Construction**

**Runs Off Any Small
Air Compressor**




**ROHRER
MANUFACTURING INC.**

1.800.980.7599

Circle 229 or visit freeproductinfo.net/bf

2008 Fencing Guide



Driveway alert probe

Gate Bird's Solar 9V Driveway Alert Probe is wireless and capable of transmitting radio calls up to a ½-mile or more, depending on terrain. The 20-in. probe is buried slightly underground parallel to the driveway while an 80-ft. cable can be coiled to fit the application. The electronic sensing board and radio transmitter is housed in a small square 4.7-in., all-weather enclosure, which can be placed as close to the probe as convenient. A 9-volt Lithium battery version is also available that will perform without the solar charger.

Circle Reply Card No. 109

Gate lock

Lokk-Latch® Deluxe is an improved version of the Lokk-Latch Pro® but costs 10% less. One latch fits vinyl, metal or wood gates and features rekeyable, six-pin security locks, adjustability for easy installation. An External Access Kit is available. The Deluxe has been cycle-tested to over 200,000 closures.

Circle Reply Card No. 110



Low-impedance energizers

Dare Products Inc. introduces three models of powerful, low-impedance electric fence energizers. The DE 20 provides 0.05 Joule energy for a 1-acre fence; the DE 60, 0.1 Joule for 3-acre fences; and the DE 80, 0.2 Joule energy for 5 acres of fence.

Circle Reply Card No. 111

Field fence

Trusted by one of the largest cattle operations in the world, Red Brand's King Ranch Fence provides cattle with a full 49 in. of protection. It features variable vertical spacing and 12-in. horizontal spacing. Class 3 galvanized coating provides extra durability and the exclusive Red Brand Square Deal® Knot, designed to eliminate sagging and keep fence taut and upright.



Circle Reply Card No. 112

Energizer

The Speedrite SG50 Energizer is ideal for small, temporary electric fencing, or strip-grazing applications. It runs off 2 D-cell batteries and can power up to 1 acre of fence for more than one month. The extremely portable SG50 has a unique stay-on fence wire clip, on/off switch and weatherproof construction.



Circle Reply Card No. 113

Circle 208 or visit freeproductinfo.net/bf

www.k-lina.com
(866) 66K-LINE

Cost Effective. Low Maintenance Pasture Irrigation

Circle 199 or visit freeproductinfo.net/bf

Fencing Made Easy

Gripple Plus for Anchoring and Bracing



The Gripple Plus Anchoring and Bracing Kits deliver strength designed for use at end posts or at H-posts.

- Reduces time and labor needed to install and maintain your fence.
- Can be used on plain wire, barbed wire, stock fence and electric fence.

Payne Hall • Agricultural Sales Manager
Gripple Inc. • Cell: 630-779-6450
Office: 630-406-0600 • www.gripple.com





Wood posts, steel rails

Cameo Fencing Inc. introduces a combination fencing product comprised of treated wood posts and steel pipe rails. The rails are the same pipe-in-pipe "swedge" rail connection that's part of the company's all-steel pipe fencing. The rail-in-rail design can be constructed as a single continuous rail to whatever length is needed.

Circle Reply Card No. 116



Post driver attachment

The Pilot Auger, distributed by Kencove Farm Fence and Shaver Manufacturing, digs pilot holes that make driving posts quicker and easier and reduces driver wear. The auger can attach to and be powered by Shaver's HD-10 or HD-12 post-driver unit. It can also be installed on Shaver's skid-steer loader-, tractor- or trailer-mounted units.

Circle Reply Card No. 114


Fence post clips

The new Step-In post from Geotek Inc. features its new SmartClip. The SmartClip has a fast and easy-to-use durable design and holds up to 2-in. tape, braided rope, polywire or high-tensile wire. The Step-In post is lightweight and strong.



Circle Reply Card No. 115

Portable Fencing



Where You Need It! When You Need It!

- Quick Installation!
- Easily Moved!
- Lasts for Years!



1-800-531-5908
www.gallagherusa.com

***Works anywhere, anytime,
with any animals!***

©2008 Gallagher Animal Management Solutions

Circle 231 or visit freeproductinfo.net/bf

2008 Fencing Guide

DRIVE IT. DIG IT. CUT IT. SPLIT IT.



Whether you're driving a tractor or a skid steer loader, Shaver's powerful lineup of professional - duty post drivers, post hole diggers, log splitters and stump cutters are built to make your work easy! Visit your local Shaver dealer or call 712-859-3293!

SHAVER
Going Strong Since 1944

NEW!

Shaver Manufacturing Company
PO Box 358 / Graettinger, Iowa 51342

www.shavermfg.com

Circle 232 or visit freeproductinfo.net/bf



Energizer for horses

Power Wizard's line of electric fence energizers for horse owners shocks through weeds and brush. Its HorseSafe 15 is a 110-volt, 1.5-Joule plug-in energizer recommended for corrals and pastures up to 15 acres. HorseSafe 30, also 110 volts, supplies 3 Joules of energy and is for pastures up to 30 acres. HorseSafe 10B is a 1-Joule, 6- or 12-volt battery-operated energizer for corrals and pastures up to 10 acres.

Circle Reply Card No.117



Revolutionizing Cross-fencing For Circular Pivots

- Proven Performance
- Worry Free Operation for Piece of Mind
- Eliminate opening gates or letting wire down
- FREE INFORMATION

PIVOTAL
Fencing Systems

Phone - 970-848-5500
www.pivotalpost.com

Circle 235 or visit freeproductinfo.net/bf

Get the power to the end of the fence!

the **TiTAN TE50**

New!



The Titan pulse is designed to perform well on fences with abundant weed growth as well as medium to long distance fences. The Titan maintains the power output to the end of the fence!

Since 1947

TWIN MOUNTAIN FENCE
Ultimate In Electric Fencing!

(800)527-0990 • San Angelo, Texas
www.twinmountainfence.com

0208

Circle 236 or visit freeproductinfo.net/bf



Slab Blaster and Postmaster

The Slab Blaster, from Danuser Industrial Group, has a 400-lb. hammer to break concrete up to 9-in. thick. Additional weight is available to bolster total hammer weight to 700 lbs.

The Postmaster is capable of driving 14-ft.-tall wood or steel posts varying from 3- to 8-in. in diameter. The 275-lb. hammer can drive 60 posts/hour with hydraulic requirements of at least 12 gpm and 2,000 psi.

Circle Reply Card No. 118

Energizer

Twin Mountain Fence has added the TE50 and TB50 to its Titan electric fence energizer line. Both are equipped with digital control, built-in lightning protection, weather resistance, "Power on Demand" and comes with a three-year guarantee, which includes lightning.

The units are capable of powering a single-wire fence for 5 miles, or a three-wire fence for 1.66 miles. A fence lamp flashes at regular intervals mirroring the electrical pulse on the fence line. The Titan pulse is designed for performance on fences with abundant weed growth and can shock through wet fenceline growth.



Circle Reply Card No. 119



Electric fencer energizer

The Power Wizard PW18000 Electric Fence Energizer provides safe, electric pulses to fencing that will not harm cattle. Using ultra-low impedance technology, the unit delivers an effective shock, even through overgrown weeds and brush. With a Joule rating of 18.00, this energizer controls 1 to 1,800 acres or 300 miles of fence. A full two-year warranty covers lightning strikes and power surges.

Circle Reply Card No. 120



Automatic gate opener

Zareba Systems G450 standard-duty automatic gate opener is engineered to open swinging gates up to 14-ft. long and weighing up to 450 lbs. via push-button control. The G452 unit works with double gates. The automatic gate opener cycles 200+ times/day and complies with all UL325 standards. Kits include: gate opener (actuator), control box w/built-in receiver, entry transmitter, transformer, mounting brackets and hardware, battery, instruction manual and warning signs.

Circle Reply Card No. 121

Solar energizer

A 12-volt solar energizer from Power Wizard, features low-impedance circuitry that delivers shock through overgrowth and weeds. The PW100S energizer mounts easily and has a modular circuit design for easy serviceability.

Circle Reply Card No. 122

The Fencing Guide is an annual directory of fencing product manufacturers and the latest in fencing product introductions.

Cameo Fencing Inc.

PO Box 214
Hammond, NY 13646-9998
Phone: 800-822-5426
www.cameofencing.com

D&D Technologies (USA) Inc.

7731 Woodwind Dr.
Huntington Beach, CA 92647
Phone: 800-716-0888
www.ddtechglobal.com

Dare Products Inc.

860 Betterly Road
Battle Creek, MI 49015
Phone: 269-965-2307
www.dareproducts.com

Danuser Industrial Group

500 E. 3rd Street, Box 368
Fulton, MO 65251
Phone: 573-642-2246
www.danuser.com

Gallagher Power Fence*

130 W. 23rd Ave.
North Kansas City, MO 64116
Phone: 816-421-2005
www.gallagherusa.com

Gate Bird Long Range Gate Operators

707 Tuxedo Junction
Twin Falls, ID 83301
Phone: 208-410-7156
www.gatebird.com

Geotek Inc.

1421 Second Ave NW
Stewartville, MN 55976
Phone: 800-533-1680
www.geotekinc.com

Gripple Inc.*

1510 Hubbard Avenue
Batavia, IL 60510
Phone: 630-406-0600
www.gripple.com

Kencove Farm Fence Inc.

344 Kendall Rd.
Blairsville, PA 15717
Phone: 724-459-8991
www.kencove.com

Keystone Steel & Wire

7000 SW Adams St.
Peoria, IL 61641
Phone: 800-447-6444
www.redbrand.com

Munro Industries Inc.

381 Fairgrounds Place
Hermosa, SD 57744
Phone: 866-906-8676
www.diggerdriver.com

Pivotal Fencing Systems, LLC*

511 North Birch Street
Yuma, CO 80759
Phone: 970-848-5500
www.pivotpost.com

Power Wizard Inc.

10375 State Route 43
Streetsboro, OH 44241
Phone: 800-866-2161
www.powerwizardinc.com

Premier Fence Systems

2031 300th Street
Washington, IA 52353
Phone: 800-282-6631
www.premier1supplies.com

Pro-Tatch Inc.

1104 Claude Road
Grand Island, NE 68802
Phone: 877-407-8645
www.protatch.com

Rohrer Manufacturing*

PO Box 32
Powell Butte, OR 97753
Phone: 800-980-7599
www.rohrermfg.com

Shaver Manufacturing Co.*

PO Box 358
Graettinger, IA 51342
Phone: 712-859-3293
www.shavermfg.com

The Burly Corporation of North America

754 N. Burlison Blvd.
Burlison, TX 76028
817-295-1128
www.burlycorp.com

Tru-Test Inc.

528 Grant Road
Mineral Wells, TX 76067
Phone: 800-874-8494
www.tru-test.com

Twin Mountain Fence*

PO Box 2240
San Angelo, TX 76902
Phone: 800-527-0990
www.twinmountainfence.com

Worksaver Inc.*

PO Box 100
Litchfield, IL 62056
Phone: 217-324-5973
www.worksaver.com

Zareba Systems

906 Fifth Ave. E.
Ellendale, MN 56026
Phone: 507-684-3721
www.zarebasystems.com

***See ad in this section.**

